IROAN STATEMENT OF WORK FOR THE RADIO FREQUENCY MONITOR UNIT TEST SET NSN 6625-01-217-5631 ID# 09916A

- 1.0 SCOPE. This Statement of Work (SOW) establishes and sets forth tasks and identifies the work efforts that shall be performed by the Contractor (for purposes of this SOW, Contractor is defined as the commercial or government entity performing the IROAN) in the IROAN effort of the Radio Frequency Monitor Unit Test Set. This document contains requirements to restore the Radio Frequency Monitor Unit Test Set to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as, "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of the SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards.

MIL-STD-129

DoD Standard Practice for Military Marking

MIL-STD-2073-1D

DoD Standard Practice for Military Packaging

2.2 Other Government Documents and Publications.

TM-09916A-14&P/1

Test Set Radio Frequency

Military Handbooks (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

2.3 Industry Standards.

JESD625-A

Requirements for Handling Electrostatic-Discharge-

Sensitive (ESDS)

ANSI/ISO/ASQC Q9003-1994 Quality Systems-Model for Quality Assurance in

Final Inspection and Test

Industry Standards (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration

Management

Copies of Military Specifications and Standards are available from the DoD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179 or on the Internet at http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department, (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 <u>REQUIREMENTS</u>.

- 3.1 The Contractor shall repair, test and calibrate the Radio Frequency Monitor Unit Test Set in accordance with TM-09916A-14&P/1.
- 3.2 <u>Electrostatic Discharge (ESD) Control Program</u>. The contractor shall comply with the current ESD Work Standard JESD625-A.
- 3.3 Quality acceptance and test procedures shall be in accordance with TM-09916A-14&P/1.
- 3.4 Packaging, Handling, Storage and Transportation (PHS&T).
- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this Statement of Work. Items scheduled for long-term storage or shipment to overseas destinations shall be to level "A" requirements in accordance with MIL-STD-2073-1D, Appendix A, Table A.VI., Electronic Equipment. Items scheduled for domestic shipment for immediate use or short-term storage shall in accordance with level "B" requirements.
 - b. Marking for shipment and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

- 3.5 Quality Assurance Provisions. The contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems-Model for Quality Assurance in Final Inspection and Test.
- 3.6 Configuration Control. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing this configuration control document.

CONTRACT DATA REQUIREMENTS LIST Form Approved OMB No. 0704-0188 (1 Data Item) nted to morne 110 hours per req adjusting the horden estimate or north (8701-0188), 1216 Jufferson to collections ing the time for reviewing instructions, average, part of title collection of information, including way step, Suite 1204, Aritinaton, VA 22202-4302. Re r a currently said OMB control number. Please f A. CONTRACT LINE ITEM NO. C. CATEGORY: TOP TM OTHER D. SYSTEM/ITEM E. CONTRACT/PR NO. F. CONTRACTOR Radio Frequency Monitor Unit Test Set 1. DATA ITEM NO. 2. TITLE OF DATA ITEM 3. SESTITLE 17. PRICE BROUP A001 Request For Deviation Configuration Management 5. CONTRACT REFERENCE C. ESTIMATED 4. AUTHORITY (Date As YOTAL PRICE DI-CMAN-80640C **SOW 3.6** MCLBA (583) 8. DIST STATEMENT 12. DATE OF FIRST SUBMISSION 7. DO 250 MEO 10. FREQUENCY DISTRIBUTION **ASREQ** See Blk 16 b. COPIES 13. DATE OF SUBSEQUENT B. APP CODE 11. AS OF DATE a. ADDRESSEE Oraft Α Α Repro 0 MCLBA (583-1) 0 Blk 4 - Contractor format is authorized using .doc or .pdf software applications. Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation. RFDs will be reviewed and disposition determined within 20 working days upon receipt by the Government. Blk 14 - RFDs shall be submitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil Distribution Statement A: Approved for public release, distribution is unlimited 0 G. PREPARED BY J. DATE H. DATE I. APPROVED BY

PREVIOUS EDITION MAY BE USED.

Page